

ICC-ES Report

PMG-1094

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

Reissued 08/2017
This report is subject to renewal 08/2018

EVALUATION SUBJECT:

TILEABLE SHOWER KIT

DIVISION:

22 00 00—PLUMBING

SECTION:

22 40 00—SHOWER PAN LINERS

DIVISION:

09 00 00—FINISHES

SECTION:

09 30 00—TILING

Report Holder:

VIM PRODUCTS

5060 TRADEMARK DRIVE
RALEIGH, NC 27610



Look for the ICC-ES marks of Conformity!



ICC-ES PMG Product Certificate

PMG-1094



Effective Date: August 2017

This listing is subject to re-examination in one year.

www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00 — PLUMBING
Section: 22 40 00 — Shower Pan Liners

DIVISION: 09 00 00 — FINISHES
Section: 09 30 00 — Tiling

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Tileable Shower Kit

Listee: VIM Products
5060 Trademark Drive
Raleigh, North Carolina 27610
www.vimproducts.com

Compliance with the following codes:

2015, 2012 and 2009 *International Residential Code*® (IRC)
2015, 2012 and 2009 *International Plumbing Code*® (IPC)
2015, 2012 and 2009 *Uniform Plumbing Code*® (UPC)*
2012 North Carolina Plumbing Code (2009 IPC with North Carolina Amendments)
248 CMR, *Massachusetts Fuel Gas and Plumbing Code*
2015 and 2010 *National Plumbing Code of Canada* (NPC)**
2011 *Uniform Plumbing Code – India* (UPC-I)

**Uniform Plumbing Code* is a copyrighted publication of the International Association of Plumbing and Mechanical Officials

***National Plumbing Code of Canada* is a copyrighted publication of the National Research Council Canada

Compliance with the following standard:

ANSI A 118.10-2014, Specification for Load Bearing, Bonded, Waterproof Membranes for Thin-Set Ceramic Tile and Dimension Stone Installation.
ICC-ES LC1030-2011 PMG Listing Criteria for Prefabricated, Tileable Shower Receptor
ASME A112.18.2/CSA B125.2-2015, Plumbing Waste Fittings

Identification:

6048-LES Tileable Shower Kit described in this listing must be identified by a stamp bearing the manufacturer's name or trademark, the model number and the ICC-ES PMG listing mark.

Installation:

Each Tileable Shower Kit must be installed in accordance with the manufacturer's published instructions and the applicable codes.

The Tileable Shower Kit surfaces to be covered shall be smooth and free of irregularities that would make installation covering uneven. The size and slope shall conform to the requirements of the latest editions of the International Plumbing Code, International Residential Code and Uniform Plumbing Code. Provision shall exist to allow movement of water along the prefabricated, tilable shower receptor into drain.

The Shower Lining membrane shall conform to ANSI A118.10 and shall have a current listing with an approved third-party certification agency. Provisions shall exist to allow movement of water along the shower lining membrane into the drain. Attachment of the membrane to the shower kit, in the field, shall be made in accordance with the manufacturer's published installation instructions.

The shower drain shall conform to the applicable material and performance requirements in ASME A112.18.2/CSA B125.2 and shall have a current listing with an approved third-party certification agency. Attachment of the drain to the receptor, in the field, shall be made in accordance with the manufacturer's published installation instructions.

Models:

6048-LES: Level Entry Tileable Shower Kit

Conditions of Listing:

1. Shower floors shall be sloped toward the shower drain.
2. Level Entry Shower Receptor Kits are produced by VIM in Raleigh, North Carolina, under a quality control program with annual surveillance inspections by ICC-ES.